

Brillo(*) Oven & Grill Foam Cleaner

Revision: 2012-11-30

Version 02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Brillo(*) Oven & Grill Foam Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

For professional use only

AISE-P310 - Oven/Grill cleaner. Manual process

AISE-P311 - Oven/Grill cleaner. Spray and wipe manual process

AISE-P312 - Glass cleaner. Manual process

AISE-P313 - Glass cleaner. Spray and wipe manual process

Uses advised against Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Diversey Ltd

Contact details

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: MSDSinfoUK@sealedair.com

1.4 Emergency telephone number

For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled in accordance with Directive 1999/45/EC and corresponding national legislation.

Indication of danger

C - Corrosive

F+ - Extremely flammable

Risk phrases:

R12 - Extremely flammable.

R34 - Causes burns.

2.2 Label elements



C - Corrosive

F+ - Extremely flammable

Contains sodium hydroxide

Risk phrases:

R12 - Extremely flammable.

R34 - Causes burns.

Safety phrases:

S 9 - Keep container in a well-ventilated place.

S23d - Do not breathe spray.

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28a - After contact with skin, wash immediately with plenty of water.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S51 - Use only in well-ventilated areas.

S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.

Brillo(*) Oven & Grill Foam Cleaner

Further indications on the label:

Pressurized container: Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.
Keep away from sources of ignition - No smoking.
Keep out of the reach of children.

2.3 Other hazards

No other hazards known. The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Classification (EC) 1272/2008	Notes	Weight percent
alkyl alcohol ethoxylate	Polymer*	69011-36-5	[4]	Xn; R22-41	Eye Dam. 1 (H318) Acute Tox. 4 (H302)		3-10
propane-1,2-diol	200-338-0	57-55-6	01-2119456809-23	-	-		3-10
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	C; R35	Skin Corr. 1A (H314)		3-10

* Polymer.

For the full text of the R, H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information****Inhalation****Skin contact****Eye contact****Ingestion**

If unconscious place in recovery position and seek medical advice.

Remove from source of exposure. Get medical attention immediately.

Rinse with plenty of water. Take off all contaminated clothing immediately. Get medical attention.

Wash off immediately with plenty of water. Get medical attention immediately.

Remove material from mouth. Immediately drink 1-2 glasses of water or milk. Get medical attention immediately.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation**

Very high concentrations may cause asphyxia or narcosis. Severe irritant, may cause respiratory tract irritation.

Skin contact

Direct contact can damage skin by freezing. Causes burns.

Eye contact

Causes severe or permanent damage.

Ingestion

Causes burns. Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

Sensitisation

No known effects.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

Cool endangered packaging with water spray jet.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

No special environmental precautions required.

Brillo(*) Oven & Grill Foam Cleaner

6.3 Methods and material for containment and cleaning up

Absorb liquid components with liquid-binding material.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation. For advice on general occupational hygiene see subsection 8.2. For environmental exposure controls see subsection 8.2. For incompatible materials see subsection 10.5.

Prevention of fire and explosion

Keep away from sources of ignition - No smoking. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50°. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

7.2 Conditions for safe storage, including any incompatibilities**Requirements for storage rooms / facilities:**

In accordance with local and national regulations.

Combined storage in storage rooms / facilities:

In accordance with local and national regulations. For incompatible materials see subsection 10.5.

Basic storage conditions

For conditions to avoid see subsection 10.4.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
propane-1,2-diol	150 ppm total particulate and vapour 474 mg/m ³ total particulate and vapour 10 mg/m ³ particulate	450 ppm total particulate and vapour 1422 mg/m ³ total particulate and vapour 30 mg/m ³ particulate
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
propane-1,2-diol	No data available	No data available	No data available	85
sodium hydroxide	No data available	No data available	No data available	No data available

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
propane-1,2-diol	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	No data available	No data available	No data available

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
propane-1,2-diol	No data available	No data available	No data available	213

Brillo(*) Oven & Grill Foam Cleaner

sodium hydroxide	2 %	No data available	No data available	No data available
------------------	-----	-------------------	-------------------	-------------------

DNEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
propane-1,2-diol	No data available	No data available	10	168
sodium hydroxide	No data available	No data available	1	No data available

DNEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
propane-1,2-diol	No data available	No data available	10	50
sodium hydroxide	No data available	No data available	1	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
propane-1,2-diol	260	26	183	20000
sodium hydroxide	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
propane-1,2-diol	572	57.2	50	No data available
sodium hydroxide	No data available	No data available	No data available	No data available

8.2 Exposure controls

General health and safety measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Take off immediately all contaminated clothing. Wash hands before breaks and at the end of workday. Do not breathe gases, vapour, spray or aerosols. Use only in well-ventilated areas. Avoid contact with skin and eyes.

The following information applies for the uses indicated in subsection 1.2.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:

Use only in well ventilated areas. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166).

Hand protection:

Chemical-resistant protective gloves (EN 374).

Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier.

Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact:

Material: butyl rubber

Penetration time: \geq 480 min

Material thickness: \geq 0.7 mm

Suggested gloves for protection against splashes:

Material: nitrile rubber

Penetration time: \geq 30 min

Material thickness: \geq 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur.

Respiratory protection:

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical State: Aerosol

Colour Colourless

Odour Product specific

Odour threshold: Not applicable.

pH:> 12 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not applicable as product is an aerosol

Flash point (°C): Not applicable as product is an aerosol

Sustained combustion: Not determined

Evaporation rate: Not determined

Flammability (solid, gas): Not determined

Upper/lower flammability limit (%): Not determined

Vapour pressure: Not determined

Vapour density: Not determined

Relative density: 1.01 g/cm³ (20°C)

Solubility in / Miscibility with Water: Fully miscible

Autoignition temperature: Not determined

Decomposition temperature: Not determined

Viscosity:Not determined

Explosive properties Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined

Corrosion to metals

(according to IMDG/ADR regulation): Not determined

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

Keep away from heat and direct sunlight. Keep container in a well-ventilated place.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Mixtures**

No test data is available on the mixture

Substance data, where relevant and available, are listed below.

Acute toxicity

Acute oral toxicity

Brillo(*) Oven & Grill Foam Cleaner

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LD ₅₀	500 - 2000	Rat	OECD 423 (EU B.1 tris)	
propane-1,2-diol	LD ₅₀	20000	Rat	Method not given	
sodium hydroxide	LD ₅₀	1350	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
propane-1,2-diol	LD ₅₀	> 2000	Rabbit	Method not given	
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
propane-1,2-diol		No data available			
sodium hydroxide	LC ₅₀	4800	Mouse	Method not given	1

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
propane-1,2-diol	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
propane-1,2-diol	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
propane-1,2-diol	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	No data available			
propane-1,2-diol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium hydroxide	Not sensitising		Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
propane-1,2-diol	No data available			
sodium hydroxide	No data available			

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
propane-1,2-diol		No data available				
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Brillo(*) Oven & Grill Foam Cleaner

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
propane-1,2-diol		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
propane-1,2-diol		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate			No data available					
propane-1,2-diol			No data available					
sodium hydroxide			No data available					

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mixture data:

Based on available data, the classification criteria are not met.

Substance data, where relevant and available

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No data available
propane-1,2-diol	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No data available		No data available	
propane-1,2-diol	No evidence for mutagenicity, negative test results	Method not given	No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate			No data available				
propane-1,2-diol			No data available				No evidence for reproductive toxicity
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

Mixtures

No test data is available on the mixture.

Substance data, where relevant and available, are listed below

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Brillo(*) Oven & Grill Foam Cleaner

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC ₅₀	1 - 10	Leuciscus idus	Method not given	96
propane-1,2-diol	LC ₅₀	> 5500	Fish	Method not given	
sodium hydroxide	LC ₅₀	35	Various species	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	Not specified	Method not given	48
propane-1,2-diol	EC ₅₀	> 100	Daphnia	Method not given	48
sodium hydroxide	EC ₅₀	40.4	Ceriodaphnia sp.	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC ₅₀	1 - 10	Not specified	Method not given	72
propane-1,2-diol	EC ₅₀	24200	Desmodesmus subspicatus	OECD 201	72
sodium hydroxide	EC ₅₀	22	Photobacterium phosphoreum	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
propane-1,2-diol		No data available			
sodium hydroxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC ₁₀	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
propane-1,2-diol	EC ₀	> 20000	Pseudomonas putida	Method not given	18 hour(s)
sodium hydroxide		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
propane-1,2-diol		No data available				
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
propane-1,2-diol	NOEC	13020	Ceriodaphnia dubia	Method not given	7 day(s)	
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

Brillo(*) Oven & Grill Foam Cleaner

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
propane-1,2-diol			> 70 % in 28 day(s)	OECD 301A	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	No data available			
propane-1,2-diol	-1.07	Method not given	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	No data available				
propane-1,2-diol	No data available				
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				
propane-1,2-diol	No data available				
sodium hydroxide	No data available				Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products Dispose of in compliance with all Federal, state, provincial, and local laws and regulations.
European Waste Catalogue: 16 05 04* - gases in pressure containers (including halons) containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

SECTION 14: Transport information

Brillo(*) Oven & Grill Foam Cleaner

**ADR, RID, ADN, IMO/IMDG, ICAO/IATA****14.1 UN number:** 1950**14.2 UN proper shipping name:**

Aerosols

14.3 Transport hazard class(es):

Class:2

Label(s):2.1+8

14.4 Packing group: -**14.5 Environmental hazards:**

Environmentally hazardous:No

Marine pollutant: No

14.6 Special precautions for user: None known.**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification Code 5FC

Tunnel restriction code E

Hazard identification number: -

IMO/IMDG

EmS F-D, S-U

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Ingredients according to EC Detergents Regulation 648/2004**

non-ionic surfactants

5 - 15%

aliphatic hydrocarbons

< 5%

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

() This brand is used under authority from SC Johnson & Son Inc. Racine, Wisconsin, USA*

MSDS code: MS1000243**Version** 02**Revision:** 2012-11-30**Reason for revision:**

Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II

Full text of the R, H and EUH phrases mentioned in section 3

- R41 - Risk of serious damage to eyes.
- R22 - Harmful if swallowed.
- R35 - Causes severe burns.
- R10 - Flammable.
- R34 - Causes burns.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet