

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1 of 4

FLOORLINE LEMON FLOOR GEL

Revision 3

Revision date 9-Sep-2010

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name FLOORLINE LEMON FLOOR GEL

Product code 500-100-0305

Description Floor cleaner and polish

4 X 5 litre plastic container

Supplier address PRIME SOURCE

PO BOX 15247

Birmingham, B22 3HN

Telephone 0121 328 6740

Email Info@prime-source.co.uk

Emergency telephone 0121 328 6740

(Office hours)

SDS information provided by info@coventrychemicals.com

2. HAZARDS IDENTIFICATION

Main hazards Irritating to eyes. Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Isopropanol	1-10%	67-63-0	200-661-7	F; R11 Xi; R36 R67
(Propan-2-ol) Dipentene	0.5-1%	138-86-3	205-341-0	R10 Xi; R38 R43 N; R50/53
Pine oil terpenes	1-10%	232-268-1	8000-41-7	Xi; R38
Sodium alkyllbenzene sulphate	1-10%	25155-30-0		Xn; R22 Xi; R38-41

4. FIRST AID MEASURES

Skin contact May cause irritation to skin. Wash with soap and water. Seek medical attention if irritation or

symptoms persist.

Eye contact Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids

onen. Seek medical attention if irritation or symptoms persist

Inhalation Remove to fresh air if affected. Seek medical attention if irritation or symptoms persist.

Ingestion Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and

give water to drink. Seek medical attention if irritation or symptoms persist

Print date 9-Sep-2010

FLOORLINE LEMON FLOOR GEL

Revision 3

Revision date 9-Sep-2010

5. FIRE FIGHTING MEASURES

Extinguishing media Water, foam or dry chemical.

Fire hazards Not flammable and normally not a fire risk.

Protective equipmentWear self contained breathing apparatus and protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area.

Environmental precautions Prevent further spillage if safe. Do not allow to contaminate watercourses, drains or sewers.

Clean up methods For small spills: Dilute to waste with large quantities of water, wash into foul sewer only.

For large spills: Absorb with inert, absorbent material (sand, earth or granules). Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of

water.

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Wear

appropriate protective equipment (see Section 8). Adopt best Manual Handling

considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly

labelled containers.

Suitable packaging Keep in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

IsopropanolWEL 8-hr limit ppm: 400WEL 8-hr limit mg/m3: 999(Propan-2-ol)WEL 15 min limit ppm: 500WEL 15 min limit mg/m3: 1250

Engineering measures Ensure adequate ventilation of the working area.

Respiratory protection Not normally required.

Hand protection Rubber or polyvinyl chloride (PVC) gloves.

Eye protection In case of splashing, wear: Approved safety glasses.

Protective equipment Wear protective clothing.

Environmental exposure Users should be aware of environmental considerations and their duties under the

environmental protection act. Further information may be found on Government websites:

www.dti.gov.uk/access/index.htm and www.envirowise.gov.uk.

Hygiene measures Always wash thoroughly after handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

DescriptionGel.ColourYellow.OdourLemon.pH9.5Relative density1.00

Water solubility Soluble in water.

FLOORLINE LEMON FLOOR GEL

Revision

Revision date 9-Sep-2010

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to avoid Extremes of temperature. Direct sunlight. Materials to avoid Do not mix with other cleaning chemicals. Hazardous decomposition None when stored and handled correctly.

products

11. TOXICOLOGICAL INFORMATION

Corrosivity May cause irritation to skin. Eye contact: May cause irritation and inflammation. Large

quantities swallowed may cause dastro-intestino irritation, possibly vomiting

Repeated or prolonged Prolonged or repeated contact may cause defatting and subsequent irritation.

exposure

12. ECOLOGICAL INFORMATION

The surfactant(s) contained in this preparation complies (comply) with the biodegradability **Further information**

criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request

of a detergent manufacturer.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

Where practical, waste or surplus material should be recovered and recycled. Disposal methods

Dispose of according to national and local authority regulations via an appropriately

licensed waste contractor.

Disposal of packaging Packaging is recyclable and, where practical, containers and packaging should be recycled

by a licensed contractor. Wash out containers with water before disposal.

14. TRANSPORT INFORMATION

Further information The product is not classified as dangerous for carriage.

15. REGULATORY INFORMATION

Xi - Irritant **Symbols**



Risk phrases R36 - Irritating to eyes.

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

S2 - Keep out of the reach of children. Safety phrases

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

FLOORLINE LEMON FLOOR GEL

Revision

Revision date

9-Sep-2010

16. OTHER INFORMATION

Text of risk phrases in

R10 - Flammable.

Section 3

R11 - Highly flammable.

R22 - Harmful if swallowed.

R36 - Irritating to eyes.

R38 - Irritating to skin.

R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the

General information

PLEASE ENSURE THIS SAFETY DATA SHEET IS PASSED TO THE APPROPRIATE PERSONS IN YOUR COMPANY, WHO ARE CAPABLE OF ACTING ON THE INFORMATION.

This Data Sheet was prepared in accordance with directive 91/155/EEC and the Chemicals (Hazard Information and Packaging for Supply) Regulations.

Occupational exposure standards were taken from the current edition of EH40 (UK HSE).

The information given is based on our knowledge of this product at the time of publication.

The information this sheet contains does not constitute on its own the users own assessment of workplace risk as required by other health and safety legislation eg. HSW ACT COSHH, MHSW Regulations or other. The user's attention is drawn to the possible risks incurred by using the product for any other purpose than that for which it was intended.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Revision

This document differs from the previous version in the following areas:

1 - description